

“ ”

[illegible]

□ □ □ □ / □ □ / □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□ □□□□□□□□
 □□ “□□□□” □□□□
 □□ □□□□□□□□
 □□ □□□□□□□□□□
 □□ □□□□□□□□□□□□
 □□ □□□□□
 □□ 30 □□□□□□□□□□□□
 □□ □□□□□□□□



The diagram shows a sequence of 100 boxes arranged in four rows of 25 boxes each. The boxes are arranged in a grid pattern, with some boxes containing text and others empty.

Row 1: " " [25 boxes]

Row 2: [25 boxes]

Row 3: [25 boxes]

Row 4: [25 boxes]

Diagram illustrating the memory layout for the first 16 locations (addresses 0000 to 000F). The locations are arranged in four rows of four:

- Row 1: 0000 (IP), 0001 ("), 0002 ("), 0003 (empty)
- Row 2: 0004 (IP), 0005 (empty), 0006 (empty), 0007 (empty)
- Row 3: 0008 (IP), 0009 (empty), 000A (empty), 000B (empty)
- Row 4: 000C (IP), 000D (empty), 000E (empty), 000F (empty)

Figure 1 illustrates the proposed data structure. It shows a sequence of data elements: a string "E1", a string "E6", and a series of four elements labeled E1, E2, E3, and E4. Each element is represented by a box divided into two parts: a left part for the element name and a right part for its value. The values are represented by a series of small squares, indicating a binary or hexadecimal representation. The elements are arranged in a row, with "E1" and "E6" followed by the four "E" elements. The "E" elements are grouped together, with "E1" and "E2" on the left, and "E3" and "E4" on the right. The "E" elements are also labeled with "E1" and "E6" above them, indicating a mapping or relationship.

E5 /

E6 /

IP

		E3, E6	vs		
		E1, E4	vs		
		E1, E4	KPI vs		
		E3, E5	vs		
		E2, E6	vs		
		E1, E5	vs		

		E1, E3	vs		/
		E4, E5	vs		
		E1, E3	vs		/
		E2, E6	vs /		
		E4, E6	vs		/
		E2, E4	vs		/
		E3, E5	vs		

- 姓名 姓名
 姓 / 姓 姓 / 姓名
 姓名姓名 姓名姓名姓名
 姓名 姓名姓名姓名姓名姓名 姓名姓名姓名
 姓名姓名 姓名姓名姓名姓名

B. 姓名 / 姓名

- 姓名 姓名
 姓 / 姓 姓 / 姓名
 姓名姓名 “姓名” 姓名姓名 姓名姓名
 姓名 姓名 -> 姓名姓名 -> 姓名姓名姓名 -> 姓名 ->
 姓名姓名 姓名姓名
 姓名姓名 姓名姓名 “姓” 姓名姓名姓名姓名
 姓名 姓名 姓 姓名姓名姓名姓名姓名
- 姓名 姓名
 姓 / 姓 姓名姓名
 姓名姓名 姓名姓名姓名 姓名 姓 姓名姓名姓名
 姓名 姓名姓名 “姓名” 姓名姓名 姓名姓名
 姓名 姓名姓名姓名姓名 姓
 姓名姓名 姓 “姓名” 姓 “姓名” / 姓 “姓名” 姓名姓名
 姓名姓名 姓名姓名姓名姓名
- 姓名 姓名
 姓 / 姓 姓 / 姓名
 姓名姓名 姓 / 姓名姓名 姓名姓名
 姓名 姓名姓名姓名姓名 姓名姓名 S 姓名姓名
 姓名姓名姓名姓名姓名
- 姓名 姓名姓名姓名姓名
 姓 / 姓 姓名姓名
 姓名姓名 姓名姓名姓名姓名
 姓名 姓名姓名 姓名姓名姓名姓名姓名
 姓名姓名姓名 姓名姓名 姓名姓名 姓名姓名姓名
 姓名姓名 姓名姓名姓名姓名姓名姓名姓名姓名 姓名 姓名
 姓名 姓 姓名姓名姓名姓名

C. 姓名 / 姓名


- 姓名 姓名
 姓 / 姓 姓 / 姓名
 姓名姓名 姓名 姓名姓名姓名 姓名姓名姓名
 姓名 姓名姓名 姓名姓名姓名 姓名姓名
 姓名姓名姓名 姓名姓名姓名
 姓名姓名 姓名姓名 姓名姓名姓名姓名姓名
 姓名姓名姓名姓名 姓名姓名姓名
- 姓名 姓名
 姓 / 姓 Flash 姓 / 姓名

● □□□□ □□□□□□
 □□ / □□ □□□□□□
 □□□□□□□□ □□□□ “□□□□” □□□□□□□□ “□□□□□□” □□□□
 □□□□ □□□□□□□□□□ “□□□□□□” □□ □□□□□□□□□□
 □□□□□□□□□□□□□□
 □□□□□□□□ □□□□ “□□” □□ “□□□□□□” □□□□□□□□ □□ “□□” /□□□□□□
 □□□□□□□□□□ □□□□□□□□□□□□□□

[illegible]

• “ + / ” 3-5 1-2

•   "  +  "  +  "

•   





 30 

 "    "  

01. 302

-    “

 ”
-  E4  / E2 
-   


-   302 

02. ??? ?????????

- ?????? ???
- ???????? E1 ??? / E4 ???
- ?????? ?????????? ??????????????????????“?”????????
- ?????? ?????????????? ??????????????????“B2”?

03. ??? ????????????

- ?????? ???

 ???????
- ???????? E3 ??? / ???

 ?????? ?????????? ?????????????????????
- ?????? ?????????????????? ??????????????

04. ??? ????????????

- ??????? ?????????????????????? ?????????????????????????????????
- ???????? E1 ??? / E5 ???
- ?????? ?????????????? ?????????????????????????
- ?????? ?????????????? ?????????????????????????

05. ??? ??????????

- ??????? ?????????????????? ??????????????????????????????????“?”?
- ???????? E4 ??? / E3 ???
- ?????? ?????????????????? ?????????????????????????
- ?????? ?????????? ?????????????????????????

06. 

- 
-  E1  / E6 
- 
- 

07. 

- 

- E4 / E5
-
-

08.

-
-
- E3 / E6
-
-

“ ”

09.

-
- E2 / E3
-
-

“ ”

10.

-
- E1 / E3
-
-

11.

- 24
- E1 / E5
-
-

12.

-
- E3
-
-

13.

-
- E5 / E1
-
-

“ ”

14.

-
- E4 / E1
-
-

15.

-
- E2 / E6
-
-

16.

-
- E6 / E3
-
-

17. 404

-
- E1 / E4
-
-

404

“”

18.

-
- E3 / E6
-
-

19.

-
- E1 / E4
-
-

“”

20.

-

“”

- E4 / E5
-
-

21.

-
- E1 / E2
-
-

22.

-
- E4 / E6
-
-

23.

-
- E2 / E3
-
- “ ”

24.

-
- E3
-
- “ ”

25.

-
- E4 / E5
-
-

26.

-
- E3 / E5
-

